| | | _ | | |
|---|---|------------------------------|--------------|--|
| FORM LINEAR GV3, HDS2 & SL2 [ED. 03]. | | | | |
| Company | Send to | o: cial@fluidotronica.com | HepcoMotion® | |
| Email | For more information: +351 256 681 957 | | | |
| Phone | www.fl | uidotronica.com | | |
| Please fill out the following questionnaire carefully so we can select the best choice for you if all information is completely available. If it complement this information with photographs, 3D files, etc. | | | | |
| DESCRIPTION What is the application to do? | | | | |
| 42 No. 10 | | | | |
| | | | | |
| | | | | |
| | | | | |
| | X Axis | Y Axis | Z Axis | |
| Load [kg] | | | | |
| Horizontal or vertical | | | | |
| Load direction | | | | |
| Load displacement (Ms/ M/Mv) [mm] | | | | |
| Accuracy and Repeatability | | | | |
| Course [mm] | | | | |
| Speed [m/s] | | | | |
| Acceleration | | | | |
| Slowdown | | | | |
| Duty Cycle [strokes per minute/hour/day] | | | | |
| Required Life [years] | | | | |
| Can the system be lubricated? | | | | |
| Satting: debris outside washing | | | | |

Selection: seems to be correct? Drawing / sketching / comments

Temperature and Humidity [°C]

Driving method: Belt, Screw, Rack & Pinion, Manual

Please provide a simple outline of the application (HEPCO components) showing all important directions loads, displacements and dimensions.